

**IN THE CLAIMS:**

As shown below, please rewrite claims 1-3 and 5-7. Attached to the end of this amendment is a marked-up version of the changes made by the current amendment. The attached page is captioned "**Version with Markings to Show Changes Made.**"

---

1. (Currently Amended) A digital broadcast reception device comprising:

reception means for receiving digital broadcasting;

storage means for storing picture data of digital broadcasting, received by said reception means, in terms of a frame of a picture demonstrated on a picture display device;

printing data creating means for acquiring the picture data stored in said storage means for preparing data for printing based on said picture data;

printing command input means for receiving printing commands; and

control means for controlling the writing operation in said storage means, wherein when said printing command input means receives a printing command to print a picture demonstrated on said picture display device, said control means causes no new picture data to be written to said storage means until printing is complete.

2. (Currently Amended) The digital broadcast reception device according to claim 1, further comprising:

printing means for printing a picture for demonstration on said picture display device, based on the data for printing prepared by said printing data creating means;

said printing means being connected to said printing data creating means over an internal bus.

*A1  
cancel.*  
3. (Currently Amended) The digital broadcast reception device according to claim 2,  
wherein:

when a picture demonstrated on said picture display device is printed by said printing means, next picture data will not be written in said storage means.

---

4. (Original) The digital broadcast reception device according to claim 2 wherein  
said printing data creating means effects resolution conversion on picture data acquired  
from said storage means depending on the demonstrating density of said picture display device  
and on the printing density of said printing means.

---

*A2  
cancel.*  
5. (Currently Amended) A picture printing method comprising:  
storing received digital broadcast picture data in terms of a frame of a picture  
demonstrated on a picture display device;  
receiving a printing command to print a picture demonstrated on said picture display  
device;  
preserving the stored picture data by not storing any new picture data until printing is  
complete; and  
acquiring the stored picture data to prepare data for printing based on the acquired picture  
data; and

printing a picture for demonstration on said picture display device based on said data for printing.

*A2  
cancel.*  
6. (Currently Amended) The picture printing method according to claim 5, wherein when a picture demonstrated on said picture display device is printed, next picture data will not be stored.

7. (Currently Amended) The picture printing method according to claim 5 wherein resolution conversion on said acquired picture data is performed depending on the demonstrating density of said picture display device and on the printing density in printing a picture demonstrated on the picture display device.

---